

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	0	(pll with receiver) and (pll with transmitter) and semi adj duplex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:06
L7	0	(pll with receiver) and (pll with transmitter) and (semi with duplex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:07
L8	16	(pll with receiver) and (pll with transmitter) and (simplex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:32
L9	10	"08/907,594"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:14
L11	16	(pll with receiver) and (pll with transmitter) and ((simplex) or (semi with duplex))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:29
L12	0	(pll with receiver) and (pll with transmitter) and (switch with transceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 07:30
L13	90	(pll with receiver) and (pll with transmitter) and (switch with transceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:30
L14	2	"5903600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:30
L15	0	((pll with receiver) and (pll with transmitter) and (simplex)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:32

EAST Search History

L16	1	((pll with receiver) and (pll with transmitter) and ((simplex) or transmission with only)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:33
L17	1	((pll with receiver) and (pll with transmitter) and (simplex or (transmission with only))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:34
L18	1	((pll with receiver) and (pll with transmitter) and (simplex or (transmission with only) or (reception with only))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:34
L19	0	(pll with receiver) with (pll with transmitter) with diffrent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L20	875	(pll with receiver) and (pll with transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L21	688	(pll with receiver) with (pll with transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L22	162	375/215	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L23	3322	375/354	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L24	3810	375/376	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L25	1600	375/373	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42

EAST Search History

L26	1016	375/327	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L27	192	375/294	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L28	1218	327/147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L29	2871	327/156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L30	201	455/180.3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L31	1801	455/260	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L32	0	(pll with receiver) with (pll with transmitter) with diffrent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L33	23	(pll with receiver) with (pll with transmitter) with different	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L34	2	"5903600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42

EAST Search History

L35	16	("3921095" "4061979" "4238740" "4365210" "4389622" "4419633" "4625180" "4667169" "4812783" "4841255" "4951005" "5008629" "5103192" "5124669" "5128632" "5304951").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/14 08:42
L36	3	L21 and L22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L37	25	L21 and L23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L38	86	L21 and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L39	32	L21 and L25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L40	33	L21 and L26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L41	5	L21 and L27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L42	24	L21 and L28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L43	52	L21 and L29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42

EAST Search History

L44	10	L21 and L30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L45	63	L21 and L31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:42
L46	23	(pll with receiver) with (pll with transmitter) with different	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:43
L47	2	"5903600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 08:43
L48	18	"693835"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 08:43
L49	3	"9626578"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 08:43
L50	2	"5790606".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 08:43



Web Images Groups News Froogle Local more »

"receiver pll" "transmitter pll" simplex

Search

Advanced Search
Preferences

Web

Results 1 - 9 of about 16 for "**receiver pll**" "**transmitter pll**" **simplex**. (0.99 seconds)

[PDF] [2.64 Gbit/s Full-Duplex Serial Link – Optical Piggyback Board ING_TRF](#)

File Format: PDF/Adobe Acrobat

TX_LOCK = '1' indicates that the **Transmitter PLL** is locked. If TX_LOCK is de-asserted the ... compatible standard SC Duplex or SC **Simplex** connectors. ...

www.inova-semiconductors.de/en/datasheets/ing_trf_ds.pdf -

[Similar pages](#) - [Remove result](#)

[PDF] [TKR-750](#)

File Format: PDF/Adobe Acrobat

The **Simplex**/Duplex function is used to specify whether. the channel is used as **simplex** ...
lowing circuits : 4-1 **receiver PLL** circuit, 4-2 **transmitter PLL** ...

hamradio.online.ru/ftp3/ser_man_TKR-750.pdf - [Similar pages](#) - [Remove result](#)

[PDF] [benelec.com.au/Yaesu/pdf/MARK-V%20FT-1000MP%20Fiel...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#) - [Remove result](#)

[PDF] [HF TRANSCEIVER](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

two-way **simplex** communications for MARS operation,. or on behalf of a third parties. ... Tx
PLL Offset - You can offset the **transmitter PLL** ...

www.va3cr.net/pdf/Manual%20Mark%20V.pdf - [Similar pages](#) - [Remove result](#)

[PDF] [Table of Contents](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Page 2. Intraplex E1 Access Server Installation and Operation Manual Issue 1, May
2000 © Copyright 2002 Harris Corporation. All rights reserved. ...

www.broadcast.harris.com/product_portfolio/prod_media/ACS-260_V1.1_harris.pdf -

Supplemental Result - [Similar pages](#) - [Remove result](#)

[PDF] [Table of Contents](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... T1 Access Server Installation & Operation Manual Harris Corporation Issue 1, October
2000 Intraplex Products 5 4.2.2 **Simplex** vs. Duplex Channel Modules

www.broadcast.harris.com/product_portfolio/prod_media/AccessServerT1_manual.pdf -

Supplemental Result - [Similar pages](#) - [Remove result](#)

[[More results from www.broadcast.harris.com](#)]

[PDF] [HF TRANSCEIVER](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. HF TRANSCEIVER Operating Manual VERTEX STANDARD CO., LTD. 4-8-8
Nakameguro, Meguro-Ku, Tokyo 153-8644, Japan VERTEX STANDARD ...

drele.com/zips/ft-1000mpm.pdf - Supplemental Result - [Similar pages](#) - [Remove result](#)

[PDF] [HF TRANSCEIVER](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Switch **Simplex** Operation (R = 00H), Minus Shift (R = 01H),. or Plus Shift (R = 02H) for
Repeater ... Tx PLL Offset - You can offset the **transmitter PLL** ...

www.wvc.edu/arc/manuals/mark_v_f.pdf - [Similar pages](#) - [Remove result](#)

[PDF] [kb2ljj.serveftp.com/kenwood/TKR-750%20Service%20Ma...](#)

File Format: PDF/Adobe Acrobat

Supplemental Result - [Similar pages](#) - [Remove result](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 9 already displayed.

If you like, you can repeat the search with the omitted results included.

Try your search again on [Google Book Search](#)

Info when you want it, right on your desktop
Free! [Download Google Desktop](#)

Google	
News	< ▾
New lines of communication Financial Times 3 hrs ago	
Email	< ▾
Lunch tomorrow? Mandy MY <.. 11 min ago	
61°F Clear - Mount	< ▾
DJI 10434.87 -84.	< ▾
Type to search	
11:22 AM	

"receiver pll" "transmitter pll" simplex:

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

"receiver pll" AND "transmitter pll" AND simplex

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Sorry, your search has not produced any results. Before searching again, using the same or similar keywords, you may find it helpful to:

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
 - check the spelling of all words
 - spell words in a different way, for example using American spelling
 - write abbreviations and acronyms in full
 - use alternative words that have the same meaning
 - search using fewer or more general words
-

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2006

SCIRUS

for scientific information only

[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Web Site](#)[Help](#)[Contact Us](#)

Basic Search

[Advanced Search](#) [Search Preferences](#)

"receiver pll" AND "transmitter pll" AND GSM

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Sorry, your search has not produced any results. Before searching again, using the same or similar keywords, you may find it helpful to:

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
 - check the spelling of all words
 - spell words in a different way, for example using American spelling
 - write abbreviations and acronyms in full
 - use alternative words that have the same meaning
 - search using fewer or more general words
-

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2006



Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE****SUPPORT**

Results for "((receiver pll<in>metadata) <and> (transmitter pll<in>metadata))"

e-mail print

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.» **Search Options**[View Session History](#)[New Search](#)**Modify Search****Search** ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract» **Key**

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising search.

Indexed by
 Inspection[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE****SUPPORT**

Results for "((pll receiver<in>metadata) <and> (pll transmitter<in>metadata))"

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

e-mail printer

» Search Options[View Session History](#)[New Search](#)**Modify Search****Search** ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**» Key**

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising search.

indexed by
 Inspect*[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE -- All Rights Reserved



Day : Tuesday
Date: 3/14/2006
Time: 08:31:17

Inventor Name Search Result

Your Search was:

Last Name = JO

First Name = KANG-HYUN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09966507	Not Issued	71	09/28/2001	Apparatus and method for generating transmission and reception local oscillation signals in a mobile terminal	JO, KANG-HYUN

Inventor Search Completed: No Records to Display.

Search Another: Inventor

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Tuesday
Date: 3/14/2006
Time: 08:30:01

PALM INTRANET

Inventor Information for 09/966507

Inventor Name	City	State/Country
JO, KANG-HYUN	SEOUL	KOREA, REPUBLIC OF
LEE, KYUNG-MIN	SEOUL	KOREA, REPUBLIC OF

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)[Inventor](#)

Search Another: Application#

or Patent#

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



Day : Tuesday
Date: 3/14/2006
Time: 08:30:11

Inventor Name Search Result

Your Search was:

Last Name = LEE

First Name = KYUNG-MIN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
08777761	5903600	150	12/30/1996	AUTOMATIC FREQUENCY CONTROL CIRCUIT FOR DIGITAL RADIO COMMUNICATION SYSTEM	LEE, KYUNG-MIN
09737372	6546234	150	12/15/2000	APPARATUS AND METHOD FOR COMPENSATING RECEIVED SIGNAL STRENGTH INDICATOR ACCORDING TO TEMPERATURE	LEE, KYUNG-MIN
09966507	Not Issued	71	09/28/2001	Apparatus and method for generating transmission and reception local oscillation signals in a mobile terminal	LEE, KYUNG-MIN
10177723	6788254	150	06/21/2002	WIDEBAND INTERNAL ANTENNA WITH ZIGZAG-SHAPED CONDUCTIVE LINE	LEE, KYUNG-MIN
10896964	Not Issued	20	07/23/2004	Computer system	LEE, KYUNG-MIN
11349169	Not Issued	20	02/08/2006	Method for reconfiguring application using subtyping-based flexible service adaptation in pervasive computing environment and system thereof	LEE, KYUNG-MIN

Inventor Search Completed: No Records to Display.

Search Another: Inventor
Last Name: LEE
First Name: KYUNG-MIN

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)